



# profile & guide weber



we  
care

## **Weber Is Now The Worldwide Leader In Tile Adhesives, Tile Grouts And Technical Mortars From France**

- Tile adhesives
- Tiles grouts
- Waterproofing
- Sealants, foams & fixing
- Tapes
- Concrete repair & protection
- Wall preparation
- Tools



# content

Page

## 01 About weber

04 – 09

01.01 Weber - we care

04 – 05

01.02 History

06 – 09

## 02 Products & System solutions

10 – 39

02.01 Product

10 – 35

02.02 System solution

36 – 38

02.03 Certification

39

## 03 Project references

40 – 46

01.01

# weber - we care



we  
care

**At Weber, we believe that what matters most in the construction industry is to care about people and their environment**

---




## Well-being

We care for the well-being of people whether they use our products or live in the buildings made using our products.



## Empathy

We care about what matters to people



## Long -lasting

We care about our long-term responsibility





we  
care

## We care for those who build

---


We make our customers' live easier, more  
convenient and more comfortable



Lightweight



Non-irritant



Low dust



we  
care

## We care for those who live inside

---

We make our customers' live easier, more  
convenient and more comfortable




Air Quality



Thermal  
Comfort



Aesthetics



Acoustics



Sensorial  
Comfort

# 01.02 history


1900

1946

1970

1982

1990



Both companies Weber and Broutin are founded in France in the early 20th century. They merge in 1927.



After World War II, the company expands into The reconstruction market.



It becomes part of the Poliet group in 1970, and gradually expands.



In 1982 Weber & Broutin starts to develop on the European markets.



Weber accelerates its European expansion: Italy, Germany, Eastern Europe...

Weber is already more than 100 years old with a sustained geographical expansion



# 1996



**Weber joins the Saint-Gobain group. The company becomes Saint-Gobain Weber.**

Saint-Gobain designs, manufactures and distributes materials and solutions which are key ingredients in the wellbeing of each of us and the future of all. They can be found everywhere in our living places and our daily life: in buildings, transportation, infrastructure and in many industrial applications. They provide comfort, performance and safety while addressing the challenges of sustainable construction, resource efficiency and climate change.



Saint-Gobain was founded in **1665** by **Louis XIV**



Present in **67 countries**



More than **75%** of sales on the habitat market



**40,8** billion € sales in 2018



More than **4,100** sales outlets



**945** Production sites



One of the world's **100 most innovators**



More than **179,000** employees

# 1998



Take over of Quatzolit and Concreto in South America. At the same time, Asia becomes Weber's second development zone outside Europe, with operations in Thailand, China, and Malaysia.

# 2008



Saint-Gobain acquires Maxit Group, extending the presence of Weber to Nordic and Baltic countries, whilst reinforcing it in Germany, Benelux, Central and Eastern Europe, Russia and China.

# 2009



Saint-Gobain Weber acquires SODAMCO in the Middle East, opening up good development opportunities in this region.



# 01.02 history

2012

2015

2016

2017

2019



Weber continues its expansion in Asia with a new foothold in Indonesia by acquiring Mortar Utama (MU).



350 reasons to believe in the future! We are celebrating Saint-Gobain's 350th anniversary.



Weber continues its expansion in Asia with the acquisition of E-Mix in Hong Kong, South-East China, Singapore and Malaysia and in South America with the acquisition of Solcrom in Chile.

Weber continues to grow with the acquisition of Megaflex in Argentina and Maris in Greece



# WEBER IS NOW THE WORLDWIDE LEADER IN TILE ADHESIVES, TILE GROUTS AND TECHNICAL MORTARS FROM FRANCE



**10.000**  
people



**64**  
countries



**200**  
production  
units



## 02.01 Products



## Tile adhesives

**webertai thick**

Tile adhesive product specifically for FLOOR

**webertai vis**

Economic product

Tile adhesive for fixing GENERAL TILES

**webertai fix**

Best Seller

Tile adhesive with DOUBLE bonding strength, suitable for 60 x 60cm tiles

Good anti-slip property

**webertai gres**

Tile adhesive for fixing SWIMMING POOLS and LARGE-SIZE tiles

**webertai 2-in-1**

Tile adhesive with WATER-PREVENTION and ideal for TILES-ON-TILES fixing

**webertai maxx**

LOW- DUST ideal for renovation tiling works

**webertai flex**

HIGH FLEXIBLE tile adhesive suitable for vibration and heavy-load areas

**webertai no stain**

ANTI-STAIN tile adhesive for outside areas with high humidity

**weberfix pro**

READY-TO-USE for tiling on interior walls in dry areas

**weberfix plus**

READY-TO-USE for tiling on interior wall in both dry and wet areas





## Tile grouts



### webercolor classic

Economic product

Tile grout for GENERAL areas and tiles



### webercolor power

New formula

Tile grouts with 3 PROTECTION: Anti-bacteria, Anti-fungus and Anti-algae.



### webercolor plus

Anti-fungus tile grout for WIDE JOINTS 5-20mm, suitable for grouting glass blocks tiles



### webercolor outside

HEAVY-LOAD and FLEXIBLE tile grout, ideal for external applications



### webercolor mosaic

Tile adhesive and tile grout 2 IN 1 property for mosaics



### webercolor slim

Special tile grout for THIN JOINT 0.2–3 mm with anti-fungus



### webercolor no stain

ANTI-STAIN high performance tile grout with anti-fungus for external and high humidity areas



### webercolor HR

2-component cementitious tile grout for SWIMMING POOLS, SPAS and SAUNAS



### weberepox easy


Advanced

SUPER DURABLE epoxy tile adhesive and tile grout 2-in-1

## 02.01 Products



### Waterproofing



#### weberdry tex

Single component  
cementitious waterproofing  
product



#### weberdry 2Kflex

2 – component FLEXIBLE  
cementitious waterproofing  
product



#### weberdry top

2-component HIGH-FLEXIBLE  
cementitious waterproofing  
product



#### weberdry seal

Ready-to-use SUPER FLEXIBLE  
acrylic waterproofing product



#### weberdry PUD coat

HIGH FLEXIBLE polyurethane dis-  
persion waterproofing  
membrane



## Other products

### Primer

---



#### weberprim 2

BONDING primer to use before tiling on special substrates for internal application

### Concrete repair & protection

---



#### weberad latex

Additives to enhance the adhesion and waterproofing ability

### Sealants, foams & fixing

---



#### weberseal PU

One-part moisture curing ELASTIC joint sealant using for sealing joints in building construction



#### webertec grout 40+

Cementitious shrinkage compensate grout with compressive strength >40 Mpa



#### webertec grout 60+

Cementitious shrinkage compensate grout with compressive strength >60 Mpa

### Masonry & Wall Preparation

---



#### weberbase levelling plaster

Pre-mixed cementitious mortar for adjusted wall level

### Tapes

---



#### webertape BE 14

Flexible reinforced waterproofing tape for joints

## 02.01 products



### Tools for tiling

Not only choosing the right product: waterproofing mortar, tile adhesive, and tile grouts will ensure good quality of construction, but also choosing the right tools is important to ensure consistency, quickly and cost savings for the project.



#### **V5 notched trowel**

Using for laying mosaic and small tiles (10x10cm/pc)

Code : NTV5



#### **U6 notched trowel**

Using for laying small to medium size tiles (10x10cm-40x40cm/pc)

Code : NTU6



#### **U9 notched trowel**

Using for laying medium to large size tiles (40x140cm-80x80cm/pc)

Code : NTU9



#### **C20 notched trowel**

Using for laying large size tiles (80x80cm/pc and above)

Code : NTC20

### TOOL FOR GROUTING



Rubber trowel

Code : RT8x22

To ensure right application and complete equipment preparation, please visit the **website: [www.vn.weber](http://www.vn.weber)** and search **Application Guide**



**Weber** – The Worldwide Leader In  
Tile Adhesives, Tile Grouts And Technical Mortars  
From France








### webertai thick

#### Tile adhesive product for FLOOR

- ✦ Suitable for absorbent tiles (ceramic tiles, terracotta) with sizes up to 60x60cm
- ✦ Suitable for common areas: living room, bedroom, office...
- ✦ To replace conventional material: sand and cement
- ✦ Can be applied with mortar thickness up to 20 mm

- **PACKAGING:** 25 kg/bag
- **COLOR:** grey
- **COVERAGE:** average 5 - 7 Kg/m<sup>2</sup>

- **SUITABLE FOR:** Absorbent tiles (ceramic tiles, terracotta) with sizes up to 60x60cm, marble with water absorbing 40x40cm.



### webertai vis

#### Tile adhesive for GENERAL TILES

- ✦ **Good bonding**
- ✦ Suitable for absorbent tiles such as ceramic tiles
- ✦ Suitable for floors and walls of interior areas: living room, bedroom,...
- ✦ To replace conventional material; sand + cement
- ✦ Low VOCs

**Economic product**

- **PACKAGING:** 25 kg/bag
- **COLOR:** grey
- **COVERAGE:** average 5 kg/m<sup>2</sup>

- **SUITABLE FOR:** Ceramic tiles (from Billa group and above)  
Tiles size up 60x60cm for wall and floor tiling  
For dry areas: living room, bedroom, office...



## webertai fix

**Tile adhesive with DOUBLE bonding strength**

**Good anti-slip property**

**Best seller**

- **PACKAGING:** 25 kg/bag
- **COLOR:** Grey, White
- **COVERAGE :** average 5 kg/m<sup>2</sup>

### • SUITABLE FOR:

Absorbent and less-absorbent tiles such as ceramic tiles, granito tiles, granites, marble up to size 60x60cm from B1b group and above.

Suitable for cement and wall floor surfaces

For interior areas: living room, bed room, office; for exterior wall under the cover with the high up to 8m

- ✦ Double bonding strength
- ✦ With special additive providing anti-slip property
- ✦ Suitable for ceramic tiles, granite, granito, marble up to size 60x60cm
- ✦ Low VOCs



## webertai gres

**Tile adhesive for SWIMMING POOLS and LARGE-SIZE tiles**

- **PACKAGING:** 20 kg/bag
- **COLOR:** Grey, White
- **COVERAGE:** average ~5 kg/m<sup>2</sup>

### • SUITABLE FOR:

Granites, granite tiles, marble, artificial tiles and stone with large sizes up to 1.2x1.2m


Rough cement, painted walls, polish cement

Swimming pools, saunas, spas,...

Internal existing tiles and external wall under the cover with the high up to 8m

- ✦ **Excellent bonding strength**
- ✦ High water- pressure resistant, suitable for pool, spa, sauna...
- ✦ Suitable for granites, granite tiles, marble, artificial stone with large sizes up to 1.2x1.2m
- ✦ LOW VOCs





### webertai 2-in-1

#### Tile adhesive with **WATER-PREVENTION** and ideal for **TILES-ON-TILES** fixing

- ✦ 2-in-1 property for tiling and preventing water with excellent bonding strength
- ✦ Good for tiling on wet areas: bathroom, kitchen,...
- ✦ Laying tiles on internal existing tiles (tiles-on-tiles)
- ✦ Low VOCs

- **PACKAGING:** 5 kg/bag & 20 kg/bag
- **COLOR:** Grey
- **COVERAGE:** average 5 kg/m<sup>2</sup>

- **SUITABLE FOR:** Ceramic tiles, granito tiles, marbles, granites, artificial tiles and stone size up to 1 x 1 m.  
Rough cement, painted walls, polish cement  
Internal wet areas  
External wall under the cover with the high up to 8m



### webertai maxx

#### **LOW- DUST**, ideal for renovation tiling works

- ✦ Low-dust: excellent for renovation works
- ✦ Cost saving with 35% more coverage
- ✦ Laying tiles direct on lightweight block without render
- ✦ Laying tiles on internal existing tiles
- ✦ Good bonding strength for laying large size tiles up to 1 x 1 m
- ✦ Low VOCs

- **PACKAGING:** 15 kg/bag
- **COLOR:** Grey
- **COVERAGE:** average 15 kg/4m<sup>2</sup>

- **SUITABLE FOR:** Ceramic tiles, granito tiles, marbles, granites, artificial tiles and stone size up to 1 x 1 m.  
Internal areas and external walls under cover, less affected by weather  
Laying tiles on internal existing tiles



- **PACKAGING:** 20 kg/bag
- **COLOR:** Grey
- **COVERAGE:** average 5 kg/m<sup>2</sup>

## webertai flex

### HIGH FLEXIBLE tile adhesive for HEAVY-LOAD and VIBRATION areas

- ✦ Resist to **all weather conditions**, suitable for outdoor areas
- ✦ Ideal for **under pressure and vibration areas** such as lifts, high-rise buildings, factories...
- ✦ Good for high heavy-duty areas such as garage, basements, lobbies...
- ✦ Suitable for special surfaces: woods, gypsum boards, fiber-cement boards, both internal and external existing tiles
- ✦ For all types of tiles/stones of all sizes
- ✦ Low VOCs

#### • SUITABLE FOR:

All types of tiles/stones of all sizes

Special surfaces: woods, gypsum boards, fiber-cement boards, both internal and external existing tiles

For car park, supermarket, basement, hotel lobbies, lifts, high-rise buildings, factories...

Remark: It is recommended to apply weberprim 2 primer on special surfaces before tiling



- **PACKAGING:** 20 kg/bag
- **COLOR:** Grey
- **COVERAGE:** average 5 kg/m<sup>2</sup>

## webertai no stain

### ANTI-STAIN tile adhesive for OUTSIDE AREA with HIGH HUMIDITY

- ✦ **Anti-efflorescent and white stain**
- ✦ Good for laying tiles in outside areas and **high humidity area**
- ✦ Resist to all weather conditions
- ✦ Low VOCs

#### • SUITABLE FOR:

Ceramic tiles, granito tiles, marbles, granites, artificial tiles and stone size up to 1 x 1 m.

Outdoor and high humidity areas

Laying tiles on internal existing tiles

\*Recommend to use together with anti-stain tile grout product: webercolor no stain





### weberfix pro

#### READY-TO-USE for tiling on interior walls in dry areas

- + Ready-to-use and easy to apply
- + Soft paste tile adhesive, suitable for **thin tiles**, **glass blocks** and **works requiring high aesthetics**
- + Dust-free so suitable for **renovation works** and laying tiles on internal existing wall tiles in dry areas
- + Flexible: suitable to use on deformable substrates: **woods**, **fiber-cement boards**...
- + Low VOCs

- **PACKAGING:** 3kg and 15kg bucket
- **COLOR:** White
- **COVERAGE:** average 1 kg/m<sup>2</sup>

#### • SUITABLE FOR:

Ceramic tiles, ceramic mosaics, glass mosaics, resin mosaics, natural-stone mosaics, and artificial stones with small and medium sizes.

Rough cement, painted walls, polish cement

Special surfaces: woods, gypsum boards, fiber-cement boards, internal existing wall tiles in dry areas: living room, bedroom, office...



### weberfix plus

#### READY-TO-USE for tiling on interior wall in both DRY and WET AREAS

- + Ready-to-use and easy to apply
- + Soft paste tile adhesive, suitable for **thin tiles**, **glass blocks** and **works requiring high aesthetics**
- + Dust-free so suitable for **renovation works** and laying tiles on internal existing wall tiles in **dry** and **humid areas**
- + Flexible: suitable to use on deformable substrates: **woods**, **fiber-cement boards**...
- + Low VOCs

- **PACKAGING:** 1kg, 3kg and 15kg / bucket
- **COLOR:** White
- **COVERAGE :** average 1 kg/m<sup>2</sup>

#### • SUITABLE FOR:

Ceramic tiles, ceramic mosaics, glass mosaics, resin mosaics, natural-stone mosaics, and artificial stones with small and medium sizes.

Rough cement, painted walls, polish cement

Special surfaces: woods, gypsum boards, fiber-cement boards, internal existing wall tiles in dry areas: living room, bedroom, office...





# Applications of Weber Tile adhesive



TYPE OF TILE ADHESIVE		Tile adhesive product for FLOOR	Tile adhesive for GENERAL TILES	Tile adhesive with DOU-BLE bonding strength	Tile adhesive for SWIMMING POOLS and LARGE-SIZE tiles	
Packaging						
		25kg/bag	25kg/bag	25kg/bag	20kg/bag	
Tile						
Ceramic tiles, clay tiles		●	●	●	●	
Granito tiles				●	●	
Marbles, granites, natural stones				●	●	
Glass mosaics, resin mosaics					●	
Tiles size						
Small to medium 10 x 10 to 40 x 40 cm		●	●	●	●	
Large 50 x 50 & 60 x 60 cm		●	●	●	●	
Very large > 60 x 60 cm					●	
Substrates						
Rough cement		●	●	●	●	
Polished cement				●	●	
Painted walls					●	
Internal existing tiles					● Living room	
External existing tiles						
Lightweight blocks						
Gypsum boards*						
Woods*, cement-fiber*, Viva*, Flexy* boards						
Metal, polyester, steel, aluminum						
Application areas						
Living areas, bedrooms, offices, lobbies		●	●	●	●	
Bathrooms, kitchens, washing areas		●	●	●	●	
External walls maximum 6 m high			●	●	●	
External walls maximum 8 m high				● (with cover)	●	
Swimming pools, spas, saunas					●	
External walls 8 – 28 m high						
Car parks, supermarkets, industrial areas						

(\*) apply **weber.prim 2** primer on special substrates\* before tiling and make sure to frame and brace with screw for every area of 900 cm<sup>2</sup> (30 x 30 cm)





**weberepoxy easy**

**SUPER DURABLE**  
epoxy tile adhesive  
and tile grout 2-in-1

5kg/drum



Interior/Exterior

1





## Tile grout



### webercolor classic

Economic product

#### Tile grout for GENERAL areas and tiles

- + Commonly used for **common areas** and **tiles**
- + With the collection of 21 grout colors that turn joints into vivid line & art when combined with tiles type and color
- + Combining many advanced features:
  - Resist to general cleaning agents, makes the projects durable and beautiful time by time
  - Do not scratch the tile surface when cleaning
  - No cracks with joint width between 1 to 6mm
- + Low VOCs

• **PACKAGING** : 1 kg/bag and 24 bags/box

• **COLOR**: 21 colors

• **COVERAGE**: average 1 kg/5 m<sup>2</sup>

#### • SUITABLE FOR :

Ceramic, porcelain, clay tiles, mosaic, marble and other natural stones.

For interior floors and walls in dry areas.



### webercolor power

New Formula

#### Tile grouts with 3 PROTECTION: Anti-bacteria, Anti-fungus and Anti-algae.

- + Anti-bacteria, black mold and algae thanks to the biocide mold resistance, ideal for wet areas such as bathroom, kitchen.
- + With the collection of 21 grout colors that turn joints into vivid line & art when combined with tiles type and color
- + Combining many advanced features:
  - Resist to general cleaning agents, makes the projects durable and beautiful time by time.
  - Do not scratch the tile surface when cleaning
  - No cracks with joint width between 1 to 6mm
- + LOW VOCs

• **PACKAGING** : 1 kg/bag and 24 bags/box

• **COLOR**: 21 colors


• **COVERAGE**: average 1 kg/5 m<sup>2</sup>

#### • SUITABLE FOR:

Ceramic, porcelain, clay tiles, mosaic, marble and other natural stones.

For interior floors and walls in wet areas such as bathroom, kitchen.





## webercolor power

**Anti-fungus tile grout for WIDE JOINTS 5-20mm, suitable for grouting glass blocks tiles**

- ✦ Anti black mold and fungus
- ✦ For 5-20 mm joint width
- ✦ Ideal for grouting glass blocks and clay tiles
- ✦ Low absorption of water and any stain
- ✦ Low VOCs

- **PACKAGING:** 1 kg/bag
- **COLOR:** 4 colors
- **COVERAGE:** average 1 kg/m<sup>2</sup>

• **SUITABLE FOR:**

Glass blocks and clay tiles.

For interior and exterior floors and walls in both dry and wet areas such as bathroom, kitchen, balcony and areas requiring wide joint widths



## webercolor outside

**HEAVY-LOAD and FLEXIBLE tile grout, ideal for external applications**

- ✦ Suitable for **high deformable substrates**
- ✦ For 3-12 mm joint width
- ✦ Anti black mold and fungus
- ✦ Low absorption of water and any stain
- ✦ Low VOCs

- **PACKAGING:** 1 kg/bag
- **COLOR:** White, Grey
- **COVERAGE:** average 1 kg/m<sup>2</sup>

• **SUITABLE FOR:**

External and internal areas in both dry and wet areas.

Heavy-duty and high-vibration areas like factories, garages, external walls...

High deformable substrates like gypsum boards, plywood, cement-fiberboards





## Tile grout



### webercolor mosaic

#### Tile adhesive and tile grout 2 IN 1 for mosaics

- ✦ **2-in-1** being both adhesive and grout, help to save application time
- ✦ Suitable for **any mosaics**
- ✦ **White and creamy texture**, which maintain the original glass mosaic tile colors
- ✦ Anti black mold and fungus thanks to the **biocide mold resistance**
- ✦ For all joint width of mosaics
- ✦ Low VOCs

- **PACKAGING:** 3 kg/bag and 8 bags/box
- **COLOR:** White
- **COVERAGE:** average 3 kg/m<sup>2</sup>

#### • SUITABLE FOR:

All types of mosaic tiles  
Dry and wet interior areas like bathrooms, kitchens, living room, bedroom, offices...



### webercolor slim

#### Special tile grout for THIN JOINT 0.2–3 mm with anti-fungus

- ✦ **Flowable** giving good adhesion with the grouted joints
- ✦ Specialized for very narrow joint width between **0.2-3 mm**.
- ✦ Suitable for **large size tiles** such as granite tiles, marble and granites
- ✦ Anti black mold and fungus
- ✦ Low porosity: anti-dirt
- ✦ Low VOCs

- **PACKAGING:** 1 kg/bag
- **COLOR:** 7 colors
- **COVERAGE:** average 1kg/19m<sup>2</sup>

#### • SUITABLE FOR:

Specialized for grouting natural stones like marble, granite, and all kinds of porcelain, granite and decorative tiles.  
For dry and wet interior areas such as bathroom, kitchen, living room, bedroom, office, lobby...







## webercolor no stain

**ANTI-STAIN high performance tile grout with anti-fungus property for external and high humidity areas**

- ★ **Anti-efflorescent and white stain** in **coastal** areas and **high humidity** areas
- ★ Anti black mold and fungus
- ★ For 0.2-6 mm joint width
- ★ Low VOCs

- **PACKAGING:** 1 kg/bag
- **COLOR:** White, Grey
- **COVERAGE:** average 1kg/19m<sup>2</sup>

### • SUITABLE FOR:

Granito tiles, marble, granites and natural stones  
Outdoor or indoor areas with high humidity such as fountains, signboards, bathroom,...

*\*Recommend to use together with anti-stain tile grout product: webercolor no stain*



## webercolor HR

**2-component cementitious tile grout for SWIMMING POOLS, SPAS and SAUNAS**

- ★ **Resist to water pressure**, suitable for **swimming pools**, spas, saunas and tanks
- ★ Resist to concentrate chemical agents like **chlorine**
- ★ Resist to temperature from -40°C to +100°C
- ★ **High abrasion resistance** and low water absorption
- ★ Anti black mold and fungus
- ★ For 2-10 mm joint width
- ★ Low VOCs

- **PACKAGING:** 18.5 kg/drum
- **COLOR:** 8 colors
- **COVERAGE :** average 18.5 kg / 20 m<sup>2</sup>

### • SUITABLE FOR:

Ceramic tiles, porcelain, glass mosaics, ceramic mosaics..  
Interior and exterior areas, especially swimming pools, water tanks, spa and saunas.



## weberepox easy

Advanced  
product

### SUPER DURABLE epoxy tile adhesive and tile grout 2-in-1



- + 2-in-1 being both adhesive and grout
- + Super durable with high bonding strength and flexibility with advanced features:
  - Non-adsorbent and resist to water pressure
  - Anti-bacteria and resist to concentrate chemical agents and high acidity, suitable for hospital, factories...
  - Anti black mold and fungus
  - Resist to temperature from 0°C to 80°C
- + For 2-12 mm joint width
- + LOW VOCs

- **PACKAGING:** 5 kg / drum  
Component A: Resin (4kg)  
Component B: Hardener (1kg)
- **COLOR :** 12 colors
- **COVERAGE:** average 5 kg / 8 m<sup>2</sup>  
(for grouting)

#### • SUITABLE FOR:

##### Chemical industries

- Laboratory, productions area, warehouse, paper mill, tannery, painting plant, waste treatment plant, battery room

##### Food industries

- Food and beverage plants, slaughter house, food store, laboratory, dairy

##### Hospitals

- Operation room, clinic, shower area, sanitary kitchen

##### Swimming pools

- Shower room, toilet, public bathroom
- Pool, sauna, spa





# Collection of 21 colors for art joints



## Weber Tile Grout



## Selection of tile grout according to applications



webercolor classic



webercolor power

### TYPE OF TILE GROUT

Tile grout for GENERAL areas and tiles

Tile grouts with 3 PROTECTION: Anti-bacteria, Anti-fungus and Anti-algae.

#### PACKAGING

1kg/bag  
24 bags/box

1kg/bag  
24 bags/box

#### JOINT WIDTH

1-6 mm

1-6 mm

#### GROUTING SUBSTRATES

Glass tiles



Ceramic mosaics, glass mosaics, resin mosaics



Wet areas



Terracotta tiles, clay tiles

Glass blocks

Wood

#### APPLICATION AREAS

Indoor areas, office



Living room, bathroom, balcony, lobby



Kitchen, washing areas, wet areas



Supermarket, department store, factories

External wall, car park

Swimming pools, spas, saunas





webercolor plus

webercolor outside

webercolor mosaic

webercolor slim

webercolor no stain

webercolor HR

weberepoxy easy

Anti-fungus tile grout for WIDE JOINTS 5-20mm, suitable for grouting glass blocks tiles	HEAVY-LOAD and FLEXIBLE tile grout, ideal for external applications	Tile adhesive and tile grout 2 IN 1 for mosaics	Special tile grout for THIN JOINT 0.2-3 mm with anti-fungus	ANTI-STAIN high performance tile grout with anti-fungus for external and high humidity areas	2-component cementitious tile grout for SWIMMING POOLS, SPAS and SAUNAS	SUPER DURABLE epoxy tile adhesive and tile grout 2-in-1
1kg/bag 24 bags/box	1kg/bag 24 bags/box	3kg/bag 8 bags/box	1kg/bag 24 bags/box	1kg/bag 24 bags/box	Power: 1kg/bag – 15 bags/drum Liquid: 0.23kg/bag – 15 bags/drum	5kg/drum
5-20 mm	3-12 mm	For all joint width of mosaics	0.2-3 mm	0.2-6 mm	2-10 mm	2-12 mm
	•	•	•	•	•	•
	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•				•	•
•	•					•
						•
						•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
	•					•
	•					•
					•	•





## weberdry tex

### Single component cementitious waterproofing product

- ✦ Resist to water pressure up to **50m depth**
- ✦ Resist to water pressure from **inside and outside**
- ✦ Resist to **hard water** and chlorinated water
- ✦ Non-toxic
- ✦ Easy to apply by trowel or brush
- ✦ Low VOCs

- **PACKAGING:** 5 kg and 20 kg/bag
- **COLOR:** Grey
- **COVERAGE:** 4 kg/m<sup>2</sup> (2 coats)

#### • SUITABLE FOR:

Ideal for swimming pools with high water-pressure  
Recommended for underground areas such as basement, lift hole, tank,...  
For cementitious substrates, lightweight block



## weberdry top

### 2-component HIGH-FLEXIBLE cementitious waterproofing product

- ✦ Easy to applied by **roller**
- ✦ High **flexible** and cover cracks with a width of about 1.5mm
- ✦ Resist water pressure to a depth of 15m with a waterproof layer thickness of about **1.5mm** after drying
- ✦ Resist to hard water and chlorinated water
- ✦ Non-toxic, ideal for human-used water tanks
- ✦ Good bonding
- ✦ Low VOCs

- **PACKAGING:** 5 kg/Set & 15 kg/Set
- **COLOR:** Part A (powder): grey  
Part B (liquid): milky white
- **COVERAGE:**  
Water tank: average 3.0 kg/m<sup>2</sup> (2-3 coats)  
Wet area: average 2.0 kg/m<sup>2</sup> (2 coats)

#### • SUITABLE FOR:

For bathroom, kitchen, balcony, water tank, wet areas  
For areas subject to vibration like all items in the body of the building  
For cement surface, lightweight brick walls or surfaces with high vibrations such as gypsum, fiber cement boards







## weberdry 2Kflex

### 2 – component FLEXIBLE cementitious waterproofing product

- + Resistant to water pressure equivalent to a depth of **15m** with 2mm waterproof layer thickness after drying
- + **Flexible** and **hairline** cracking bridging
- + Good bonding
- + Non-toxic, suitable for human-used water tanks
- + Low VOCs

#### • PACKAGING:

5kg, 15kg & 25kg/Set

• **COLOR :** Part A (powder): grey  
Part B (liquid): milky white

#### • COVERAGE :

Wet area: average 2.5kg/m<sup>2</sup>/2 coats

Water tank: average 3.5kg/ m<sup>2</sup>/2 coats

#### • SUITABLE FOR:

Used to waterproof before tiling or can leave the ceiling without tiling in areas where there is no circulation like a water tank.  
Suitable for waterproofing water tanks, swimming pools, corridors, balconies, bathrooms and other wet areas in high-rise projects.



## weberdry seal

### Ready-to-use SUPER FLEXIBLE acrylic waterproofing product

- + Highly flexible
- + Cover cracks
- + Good adhesion on many material surfaces
- + Waterproofing for terrace, rooftops and external walls
- + Resists the growth of mold, moss
- + UV resistance, heat reflection
- + Low VOCs

#### • PACKAGING:

1 kg, 4 kg and 20 kg/drum

• **COLOR:** White, Grey

#### • COVERAGE:

Exposed roof: average 1.5 - 2.0 kg / m<sup>2</sup>

Covered Terrace: average 1.0 kg / m<sup>2</sup>

Use as exterior wall paint: average 0.4 - 0.5 kg / m<sup>2</sup>

#### • SUITABLE FOR:

For walls, bathroom areas, kitchens, balconies, specially in the elevated position of high-rise buildings when subjected to vibration

For concrete or surface surfaces with high vibrations such as gypsum, fiber cement sheets

Waterproofing for roof areas, outer walls, surfaces finishes

Exterior paint reflecting light



## weberdry PUD coat

### HIGH FLEXIBLE polyurethane dispersion waterproofing membrane


- + **Highly flexible**
- + **UV resistant**
- + **Good adhesion on many material surfaces**  
Make a homogeneous waterproof membrane, seamless, non-splice
- + Solvent-free, non-toxic
- + One-component, ready to use

- **PACKAGING:** 20kg/drum
- **COLOR:** White, Grey, Green
- **COVERAGE :**  
average 1.5 – 2.0 kg/m<sup>2</sup>

- **SUITABLE FOR:**  
Exposed roof  
Reinforced concrete roof (both flat roof and sloping roof)  
Roof floor with finishing layer  
Terrace, balcony

+  
+  
+  
+  
+  
+





### webertec grout 40+

#### Cementitious shrinkage compensate grout with compressive strength >40 Mpa


- ✦ Compressive strength >40 Mpa
- ✦ Highly stable
- ✦ Excellent flow
- ✦ Easy to adjust fluidity without stratified or bleeding.
- ✦ Non-toxic, non-corrosive.
- ✦ Can be pumped with suitable grout pump.

- **PACKAGING:** 25 kg / bag
- **COLOR:** concrete grey

• **COVERAGE :**  
1 bag yields approx. 14.25 liters mortar and needs about 70 bags to make 1 m<sup>3</sup> of mortar

#### • SUITABLE FOR:

grouting works: machine foundations, rails beds, anchor bolts, columns in precast construction, bridge bearings, cavities, gaps, recesses, high strength repair



### webertec grout 60+

#### Cementitious shrinkage compensate grout with compressive strength >60 Mpa

- ✦ Compressive strength >60 Mpa
- ✦ Highly stable
- ✦ Excellent flow
- ✦ Easy to adjust fluidity without stratified or bleeding.
- ✦ Non-toxic, non-corrosive.
- ✦ Can be pumped with suitable grout pump.

- **PACKAGING:** 25 kg/bag
- **COLOR:** Grey

• **COVERAGE:**  
1 bag yields approx. 14.25 liters mortar and needs about 70 bags to make 1 m<sup>3</sup> of mortar

#### • SUITABLE FOR:

grouting works: machine foundations, rails beds, anchor bolts, columns in precast construction, bridge bearings, cavities, gaps, recesses, high strength repair



## Other products



### weberad latex

#### Additives to enhance the adhesion and waterproofing ability

- + Increasing the **adhesion** of concrete & mortar (plaster/ render/ screed)
- + **Improve water-tightness** for renders and floor screeds
- + **Increase the durability** of the mixture such as hardness and resistance to the formation of cracks
- + Reduce shrinkage

• **PACKAGING:** 5 kg/can

• **COLOR:** Milky liquid

• **COVERAGE:**

Depends on the substrate roughness, surface profile and thickness of the applied layer

• **SUITABLE FOR:**

Used to mix with cement or sand cement mortar. The main use is to enhance the adhesion and waterproofing ability of the mixture.



### weberbase levelling plaster

#### Pre-mixed cementitious mortar for adjusted wall level

- + **Smooth, good bonding and dustless**
- + **Perfectly cover hairline cracks, bubbles and roughness**
- + Suitable for 2-10 mm. thickness
- + Easy to apply

• **PACKAGING:** 25 kg/ bag

• **COLOR:** Grey

• **COVERAGE:**

Average 2 kg/ m<sup>2</sup> at 2 mm. thickness  
Average 10 kg/ m<sup>2</sup> at 10 mm. thickness

• **SUITABLE FOR:**

Conventional plaster or concrete plaster.  
Precast and cast in-situ concrete.  
Fiber-cement board or wood-cement board.  
Bricks or concrete blocks.  
Texca wall system, swimming pool concrete wall.







### weberseal PU

**One-part moisture curing ELASTIC joint sealant using for sealing joints in building construction**

- + One component, ready to use.
- + Good adhesive on many construction materials.
- + Weathering resistance, excellent aging resistance.
- + Movements capability:  $\pm 50\%$
- + High tear strength
- + Can be coated by suitable paint.

• **PACKAGING :**

Cartridge 300 ml. (25 Cartridge /box)  
Sausage 600 ml. (20 Sausage /box)

• **COLOR :** White, Grey, Black)

• **COVERAGE :**

Average 4.5 kg/ 22 m<sup>2</sup> (2 coats)

• **SUITABLE FOR:**

Most material surfaces: Concrete and prefabricated components, all types of tiles / stones, wood, metal, aluminum surfaces, PVC cross sections, etc.

Suitable for joints in construction requiring high elasticity modules:

Sealing the joints for floor and wall.

Sealing the joints between pipeline, around the door frame.

Sealing the joints for façade.

Sealing the joints in structure wood and steel.



### weberprim 2

**BONDING primer to use before tiling on special substrates for INTERNAL application**

- + Increase bonding strength on special substrates like existing tiles, PVC tiles, wood-cement boards, fiber-cement boards, parquets and epoxy floors
- + Moisture prevention on special substrates
- + Easy to use by roller

• **PACKAGING:** 1 kg, 4 kg bucket

• **COLOR:** Light yellow

• **COVERAGE :**

average 6.5 m<sup>2</sup> /1 kg

average 13 m<sup>2</sup> /2 kg

average 53 m<sup>2</sup> /8kg

• **SUITABLE FOR:**

Existing tiles, PVC tiles, cement board, fiber cement board, wooden floor, epoxy floor.

# Weber tiling solution

**1** Tiling ceramic tiles and granito tiles in wet areas



**webertai fix** + **webercolor power**

**2** Tiling large size tiles, granito tiles, granites, porcelain tiles, marbles, with thin joints




**webertai gres** + **webercolor slim**

**3** Tiling tiles in bathrooms and kitchens to prevent water leakage and fungus




**webertai 2-in-1** + **webercolor power**

**4** Tiling mosaics on walls and cement floors (Tiling and grouting)



**webercolor mosaic**



We not only provide tiling solutions for special surfaces such as polished surfaces, gypsum boards, existing tiles, heavy-load, vibration and high heat areas such as exterior walls, parking lots, industrial areas, factories, swimming pool... but also provide full tiling solutions for each different area.



- 9** Tiling ceramic tiles, granito tiles up to 60x60 cm in general areas like living rooms.



**webertai vis**

**webercolor classic**

- 8** Tiling tiles in swimming pools after proper waterproofing



**webertai gres**

**webercolor HR**

- 7** Tiling tiles on existing tiles internally



**webertai maxx**

**webercolor classic**

- 5** Tiling tiles in car parks, department stores, and external walls



**webertai flex**

**webercolor outside**

- 6** Tiling tiles or stones with anti-stain-property



**webertai no stain**

**webercolor no stain**





# Weber solutions

## Levelling, Waterproofing and Tiling in swimming pool solution.

1 Concrete

2



### weberbase levelling plaster

Pre-mixed cementitious mortar for adjusted wall level

3



### weberdry 2Kflex

2 – component FLEXIBLE cementitious waterproofing product

4



### webertape BE 14

Flexible reinforced waterproofing tape for joints

5



### webertai gres

Tile adhesive for fixing SWIMMING POOLS and LARGE-SIZE tiles

6



### webercolor HR

2-component cementitious tile grout for SWIMMING POOLS, SPAS and SAUNAS



## Levelling, Waterproofing and Tiling in wet area solution.

1



### weberbase levelling plaster

Pre-mixed cementitious mortar for adjusted wall level

2



### weberdry seal

Ready-to-use SUPER FLEXIBLE acrylic waterproofing product

3



### webertape BE 14

Flexible reinforced waterproofing tape for joints

4



### webertai 2-in-1

Tile adhesive with WATER-PREVENTION property and ideal for TILES-ON-TILES fixing

5



### webercolor power

Tile grouts with 3 protection: Anti-bacteria, Anti-fungus and Anti-algae.






## 02.03 Certification

### Weber gained the European Norm (EN) and the National Standard (TCVN).

All Weber tile adhesive products are gained EN and TCVN certified in accordance with EN 12004 and TCVN 7899

All products of Weber tile grout product have obtained EN and TCVN certifications in accordance with EN 13888 and TCVN 7899.



### Weber certified World Class Manufacturing

WCM certification is applied to all 67 Saint - Gobain plants worldwide. It means that all customers use the same products in all aspects of quality according to international standards.

Weber's commitments to the community from following ISO 14001 Environmental Management Standard are as follows:


- (a) Minimize negative impacts on the environment (e.g. water, air, soil, etc.) during production.
- (b) Comply with applicable laws and regulations on environmental requirements.
- (c) Continuous improvement of the above issues.




### Weber certified Low VOCs standards

All of Weber's products pass the Low VOCs test of the Thailand Institute of Science and Technology Research. This is showed that Weber products is completely safe for consumers during using time.


































# Vietnam








At **Saint-Gobain Weber** - The Worldwide Leader In Tile Adhesives, Tile Grouts And Technical Mortars From France, we believe that what matter most in the construction industry is to care about people and their **environment**, so we commit being together with partners to create sustainable projects, making lives easier, more convenient and more comfortable.

---



**Công ty TNHH Saint-Gobain Việt Nam**

Địa chỉ: Tầng 8, Tòa nhà SOFIC, 10 Mai Chí  
Thọ, Thủ Thiêm, Q2, Tp.HCM  
Tel: +84 (28) 3930 7273  
Fax: +84 (28) 3930 7274  
Website: [www.saint-gobain.com.vn](http://www.saint-gobain.com.vn)

**Công ty TNHH Saint-Gobain – Chi Nhánh  
Hiệp Phước (Weber)**

Địa chỉ: Lô C20B, đường số 11, Khu công  
nghiệp Hiệp Phước, xã Hiệp Phước, huyện  
Nhà Bè, Tp.HCM  
Hotline: 1800 577 772  
Website: [www.vn.weber](http://www.vn.weber)



[www.vn.weber](http://www.vn.weber)



[/webervn](https://www.facebook.com/weber.vn)